

Parcelytics — Tax Due Diligence Report

19417 FORMAN DR 78660 · Geo ID 0276670329

Generated September 19, 2026 — for informational purposes; verify official figures with TCAD / the Travis County Tax Office before relying on this for a transaction.

Current & Preliminary Values

Metric	2026 Certified	2025 Certified	Change
Market Value	\$373,253	\$381,542	-2.2%
Assessed Value	—	\$381,542	—
Taxable Value	—	\$381,542	—

2026 column: Verified. 2025 column: Verified.

2025 Billing & Tax Rate

Metric	Value	Confidence / Note
Effective Tax Rate	2.2285%	Partial — Total Tax is not fully verified
Total Tax	\$8,503	Partial — reconstructed by summing entity-level billing records

2025 Entity-Level Tax Breakdown

Taxing Entity	Rate	Amount Due
Pflugerville ISD	1.1069%	\$4,223.29
City of Pflugerville	0.5350%	\$2,041.25
Travis County	0.3758%	\$1,434.01
Travis Central Health	0.1180%	\$450.31
Travis County ESD # 02	0.0928%	\$353.94

Value & Tax History

Year	Market Value	Assessed Value	Total Tax	Confidence
2022	—	\$40,000	\$3,490	N/A
2023	\$155,604	\$40,000	\$10,795	Verified
2024	\$507,259	\$40,000	\$8,706	Verified
2025	\$381,542	\$381,542	\$8,503	Partial — Billing is not fully verified
2026	\$373,253	\$373,253	—	N/A

Sources

- Market / assessed / taxable values: Travis Central Appraisal District (TCAD) Certified Appraisal Roll.
- Entity tax rates: Travis County Rates History (1990–2025), as adopted by each taxing entity.
- Current-year billing: Travis County Tax Office current-year billing data (TaxCurOpenData).

- Prior-year billing (2021–2024): Travis County Tax Office PIR bulk billing export, cross-verified against known sanity-check accounts.
- Delinquency status: Travis County Tax Office delinquent-account data (TaxDelqOpenData), where applicable — as of June 20, 2026; balance grows monthly under Tax Code §33.01.

Generated by Parcelytics. This report reflects the most recent verified county data available in the system at the time of generation and is not an official TCAD or Travis County Tax Office document.